Supporting Information

Rec. Nat. Prod. 9:4 (2015) 526-529

Diterpenoids from Isodon parvifolius

Libin Yang¹, Shaojing Liu¹, Honglun Wang², and Yourui Suo^{2*}


¹ Xi'an Medical University, Xian, Shaanxi, 710021, P. R. China

²Northwest Institute of Plateau Biology, Chinese Academy of Sciences, No. 59 Xiguan Street, Xining 810001, Qinghai, People's Republic of China


| Table of Contents | Page | | |
|--|-------------|---------------------------------|---|
| S1: HRESIMS Spectrum of Compound 1 S2: DEPT Spectrum of Compound 1 S3: ¹ H-NMR (400 MHz, DMSO) Spectrum of Compound 1 | 2 3 4 | | |
| | | S4: HMQC Spectrum of Compound 1 | 5 |
| | | S5: HMBC Spectrum of Compound 1 | 6 |
| S6: NOESY (500 MHz) Spectrum of Compound 1 | 7 | | |
| S7: IR Spectrum of Compound 1 | 8 | | |

1


^{*}Corresponding author: E-Mail: suo yourui@163.com; Phone:+86-971-6143857




S1: HRESIMS Spectrum of Compound 1




S2: DEPT Spectrum of Compound 1




S3: $^{1}\text{H-NMR}$ (400 MHz, DMSO) Spectrum of Compound 1




S4: HMQC Spectrum of Compound 1



S5: HMBC Spectrum of Compound 1



S6: ROESY (500 MHz) Spectrum of Compound 1



S7: IR Spectrum of Compound 1