Supporting Information

Rec. Nat. Prod. 12:1 (2018) 95-100

Soulieoside R: A New Cycloartane Triterpenoid Glycoside from Souliea vaginata

Qiongyu Zou ‡¹, Jinping Shen ^{‡2,3}, Yindi Zhu⁴, Guoxu Ma², Xudong Xu², Yilin Liu¹, Zhenghong Luo¹, Zijian Zhao¹, Dizhao Chen*¹ and Haifeng Wu*²

¹ Key Laboratory of Hunan Province for Study and Utilization of Ethnic Medicinal Plant Resources, Department of Chemistry & Chemical Engineering, Huaihua University, Huaihua 418008, P. R. China

² Key Laboratory of Bioactive Substances and Resources Utilization of Chinese Herbal Medicine, Ministry of Education, Institute of Medicinal Plant Development, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing 100193, P. R. China
³ State Key Laboratory of Herbs Detoxification Combination, School of Public Health, Peking University, Beijing 100191, China

⁴ School of Pharmacy, Wenzhou Medical University, Wenzhou 325035, P.R. China

Table of Contents	Page
Figure S1. The HRESI-MS spectrum of the new compound 1.	2
Figure S2. The 1 H NMR (600 MHz, pyridine- d_{5}) spectrum of the new compound 1.	3
Figure S3. The 13 C NMR (150 MHz, pyridine- d_5) spectrum of the new compound 1.	4
Figure S4. The ¹ H- ¹ H COSY spectrum of the new com compound 1.	5
Figure S5. The HSQC spectrum of the new compound 1.	6
Figure S6. The HMBC spectrum of the new compound 1.	7
Figure S7. The NOESY spectrum of the new compound 1.	8




Figure S1. The HRESI-MS spectrum of the new compound 1.




Figure S2. The 1 H NMR (600 MHz, pyridine- d_{5}) spectrum of the new compound 1




Figure S3. The 13 C NMR (150 MHz, pyridine- d_5) spectrum of the new compound **1**




Figure S4. The ¹H-¹H COSY spectrum of the new compound **1.**




Figure S5. The HSQC spectrum of the new compound 1.




Figure S6. The HMBC spectrum of the new compound ${\bf 1}$




Figure S7. The NOESY spectrum of the new compound ${\bf 1}$