

## Supporting Information

*Rec. Nat. Prod.* 6:2 (2012) 121-126

### Cytochalasin H2, a new cytochalasin, isolated from the endophytic fungus *Xylaria* sp. A23


Yu Li<sup>1</sup>, Chunhua Lu<sup>1</sup>, Yaojian Huang<sup>2</sup>, Yaoyao Li<sup>1\*</sup> and Yuemao  
Shen<sup>1</sup>

<sup>1</sup>*School of Pharmaceutical Sciences, Shandong University, Jinan, Shandong 250000, P. R. China*


<sup>2</sup>*School of Life Sciences, Xiamen University, Xiamen, Fujian 361005, P. R. China*

<sup>1</sup> H-NMR spectrum for cytochalasin H2.....	S1
<sup>13</sup> C-NMR and DEPT spectra for cytochalasin H2.....	S1
HSQC spectrum for cytochalasin H2.....	S2
HMBC spectrum for cytochalasin H2.....	S2
<sup>1</sup> H- <sup>1</sup> H COSY spectrum for cytochalasin H2.....	S3
NOESY spectrum for cytochalasin H2.....	S3


<sup>1</sup>H-NMR spectrum for cytochalasin H2




<sup>13</sup>C-NMR and DEPT spectra for cytochalasin H2




HSQC spectrum for cytochalasin H2



HMBC spectrum for cytochalasin H2



$^1\text{H}$ - $^1\text{H}$  COSY spectrum for cytochalasin H2



NOESY spectrum for cytochalasin H2

