Supporting Information

Rec. Nat. Prod. 13:5 (2019) 379-384

Anti-inflammation C₁₉-diterpenoid Alkaloids from Delphinium giraldii Diels

Yan Liu¹, Zhiyang Liu^{2*}, Xinyi Wang¹, Jing Zhang¹, Fangfang Liu¹ and Yunlong Cong²

¹School of medicine, Changchun Sci-Tech University, 130600, Changchun, China ²Department of Horticulture, School of Biological and Food Sciences, Changchun Sci-Tech University, 130600, Changchun, China

Table of Contents	Page
Figure S1: ¹ H NMR spectrum of compound 1	2
Figure S2: ¹³ C NMR spectrum of compound 1	2
Figure S3: HSQC spectrum of compound 1	3
Figure S4: HMBC spectrum of compound 1	4
Figure S5: HR-MS of compound 1	4
Figure S6: ¹ H NMR spectrum of compound 2	5
Figure S7: ¹³ C NMR spectrum of compound 2	5
Figure S8: HSQC spectrum of compound 2	6
Figure S9: HMBC spectrum of compound 2	6
Figure S10: HR-MS of compound 2	7

^{*} Corresponding author: E-Mail: <u>liuzy83@163.com</u>; Phone:086-431-84266666 Fax: 086-431-84266666




Figure S1: ¹H NMR spectrum of compound 1




Figure S2: ¹³C NMR spectrum of compound 1




Figure S3: HSQC spectrum of compound ${\bf 1}$




Figure S4: HMBC spectrum of compound 1




Figure S5: HR-MS of compound 1




Figure S6: ¹H NMR spectrum of compound 2




Figure S7: ¹³C NMR spectrum of compound 2




Figure S8: HSQC spectrum of compound 2




Figure S9: HMBC spectrum of compound ${\bf 2}$




Figure S10: HR-MS of compound 2