

Supporting Information

Rec. Nat. Prod. 13:5 (2019) 405-412

Volatile oil constituents of *Crataegus azarolus* L. and *Crataegus pallasii* Griseb.

Najat Agiel^{1, 2*}, Duygu Y. Hanoğlu³, Azmi Hanoğlu¹, Kemal H. C. Baser¹
and Filiz Mericli^{1,4}

¹ Near East University, Faculty of Pharmacy, Department of Pharmacognosy, Nicosia – Turkish Republic of Northern Cyprus

² The University of Tripoli, Faculty of Education, Department of Biology, Libya

³ Near East University, Faculty of Pharmacy, Department of Pharmaceutical Botany, Nicosia – Turkish Republic of Northern Cyprus

⁴ Near East University, Faculty of Pharmacy, Department of Phytotherapy, Nicosia – Turkish Republic of Northern Cyprus

Table of contents	Page
Figure S1 : Chromatogram of main compounds of <i>Crataegus azaroulus</i> / sample A	2
Figure S2 : Chromatogram of main compounds of <i>Crataegus azaroulus</i> / sample B	2
Figure S3 : Chromatogram of main compounds of <i>Crataegus pallasii</i> / sample C	3




Figure S1 : Chromatogram of main compounds of *Crataegus azaroulus* fresh inflorescences and immature fruits- NEU Campus / Sample **A** (1: Tricosane, 2: Tetracosane, 3: Pentacosane, 4: Heptacosane)




Figure S2 : Chromatogram of main compounds of *Crataegus azaroulus* dry inflorescences and immature fruits- Cengizköy-Lefke / Sample **B** (1: Eicosane, 2: Tricosane, 3: Tetracosane, 4: Pentacosane, 5: Heptacosane)




Figure S3 : Chromatogram of main compounds of *Crataegus pallasii* dry inflorescences and immature fruits- Bata Region-Libya / Sample C (1: Carvacrol, 2: Tricosane, 3: Tetracosane, 4: Pentacosane, 5: Heptacosane)