## **Supporting Information**

### Rec. Nat. Prod. X:X (2019) XX-XX

# A New 2,2'-dipyridine and Its Congeners from Endophytic Streptomyces sp. KIB H017c with Potent Cytotoxicity


# Xiao-Yan Ma<sup>1,2</sup>, Feng-Xian Yang<sup>2,3</sup> and Sheng-Xiong Huang<sup>\*1,2</sup>

<sup>1</sup> School of Chemical Engineering, Sichuan University of Science & Engineering, Zigong, 643000, PR China

<sup>2</sup> State Key Laboratory of Phytochemistry and Plant Resources in West China, CAS Center for Excellence in Molecular Plant Sciences, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650204, China

<sup>3</sup>University of the Chinese Academy of Sciences, Beijing 100049, China

Table of contents	Page
<b>Figure S1:</b> The separation scheme of KIB H017c	2
Figure S2: The structure of SF2738A	2
Figure S3: HRESI-MS Spectrum of Compound 1	3
Figure S4: <sup>1</sup> H NMR spectrum of compound 1 (in DMSO-d <sub>6</sub> , 600 MHz)	4
Figure S5: Expansion of the <sup>1</sup> H NMR Spectrum of Compound 1	5
Figure S6: <sup>13</sup> C NMR spectrum of compound 1 (in DMSO-d <sub>6</sub> , 600 MHz)	6
Figure S7: Expansion of the <sup>13</sup> C NMR Spectrum of Compound 1	7
Figure S8: H-H COSY spectrum of compound 1	8
Figure S9: Expansion of the H-H COSY spectrum of compound 1	9
Figure S10: HSQC spectrum of compound 1	10
Figure S11: HMBC spectrum of compound 1	11
Figure S12: Expansion of the HMBC spectrum of compound 1	12
Figure S13: <sup>1</sup> H NMR spectrum of compound 2 containing impurities (in CDCl <sub>3</sub> , 600 MHz)	13
Figure S14: <sup>13</sup> C NMR spectrum of compound 2 containing impurities (in CDCl <sub>3</sub> , 600 MHz)	14
Figure S15: <sup>1</sup> H NMR spectrum of compound 3 (in DMSO-d <sub>6</sub> , 600 MHz)	15
Figure S16: <sup>13</sup> C NMR spectrum of compound 3 (in DMSO-d <sub>6</sub> , 600 MHz)	16
Figure S17: <sup>1</sup> H NMR spectrum of compound 3 (in CDCl <sub>3</sub> , 600 MHz)	17
Figure S18: <sup>1</sup> H NMR spectrum of compound 4 (in DMSO-d <sub>6</sub> , 600 MHz)	18
Figure S19: <sup>13</sup> C NMR spectrum of compound 4 (in DMSO-d <sub>6</sub> , 600 MHz)	19
Figure S20: <sup>13</sup> C NMR spectrum of compound 4 (in CDCl <sub>3</sub> , 600 MHz)	20
Table S1: Comparisons of the NMR data for Pyrisulfoxin B (2)	21
Table S2: Comparisons of the NMR data for SF2738D (3)	22
Table S3: Comparisons of the NMR data for SF2738F (4)	23



**Figure S1:** The separation scheme of KIB H017c.

$$\begin{array}{c|c}
\text{OH} \\
\text{N} \\
\text{O} \\
\text{SF2738A} \\
\text{OCH}_{3}
\end{array}$$

**Figure S2:** The structure of SF2738A.

#### **Qualitative Analysis Report**

**Data Filename** 1703.d Sample Name 1703 Position P1-B5 Sample Type Sample **Instrument Name** Instrument 1 **User Name** SIBU.m Acq Method Acquired Time 1/11/2016 10:43:09 AM IRM Calibration Status DA Method ESI+.m Comment Sample Group Info. **Acquisition SW** 6200 series TOF/6500 series Version Q-TOF B.05.01 (B5125.2) User Spectra Fragmentor Voltage Collision Energy Ionization Mode + Scan (0.181 min) 1703.d Subtract (2) 6-5-0-275.8 276 276.2 276.4 Counts vs. Mass-to-Charge (m/z) 275.2 275.4 275.6 276.6 276.8 277 Peak List z Abund Formula C13 H13 N3 O2 S (M+H)+ 276.0808 1 635276.19 277.0831 94174.94 C13 H13 N3 O2 S (M+H)+ 278.0786 1 27269.65 C13 H13 N3 O2 S (M+H)+ 298.0625 1 680455.75 299.0654 1 93391.07 300.0603 30508.81 314.036 76110.13 1 61809.84 573.1344 Formula Ca ulator Element Limits Element Min Max 60 0 120 30 0 30

Figure S3: HRESI-MS spectrum of compound 1.

Diff. (ppm)

Diff. (mDa)

DBE

CalculatedMz

30

CalculatedMass

Formula Calculator Results

Formula

C13 H13 N3 O2 S




Figure S4: <sup>1</sup>H NMR spectrum of compound 1 (in DMSO-d<sub>6</sub>, 600 MHz)

<sup>1</sup>H NMR (DMSO- $d_6$ , 600 MHz), δ: 2.33 (3H, s, 5-SCH<sub>3</sub>), 4.05 (3H, s, 4-OCH<sub>3</sub>), 7.48 (1H, ddd, J = 7.2, 4.8, 1.2 Hz), 7.57 (1H,s, 7-NH), 7.94 (1H, m, 7-NH), 7.96 (1H, (1H, td, J = 7.8, 1.2 Hz, H-4'), 8.02 (1H, s, H-3), 8.39 (1H, d, J = 7.8 Hz, H-3'), 8.70 (1H, d, J = 4.2 Hz, H-6').







Figure S5:  $^{1}$ H NMR spectrum of compound 1 (From 7.40 to 8.75 ppm)




 $^{13}\text{C}$  NMR (DMSO- $d_6$ , 150 MHz),  $\delta$  168.9 (C-6), 166.7 (C-4), 158.2 (C-5), 155.5 (C-2), 154.4 (C-2'), 149.3 (CH-6'), 137.5 (CH-4'), 124.8 (CH-5'), 121.1 (CH-3'), 118.5 (C-5), 103.4 (CH-3), 56.4 (C-[4-OCH\_3]), 17.6 (C-[5-SCH\_3]).



**Figure S7:** <sup>13</sup>C NMR spectrum of compound **1** (From 100 to 170 ppm)



**Figure S8:** H-H COSY spectrum of compound 1 (in DMSO- $d_6$ )



**Figure S9:** H-H COSY spectrum of compound **1** (From 7.20 to 9.00 ppm )






Figure S10: HSQC spectrum of compound 1 (in DMSO- $d_6$ )



**Figure S11:** HMBC spectrum of compound **1** (in DMSO- $d_6$ )



**Figure S12:** HMBC spectrum of compound **1** (<sup>1</sup>H NMR from 7.20 to 9.00 ppm, <sup>13</sup>C NMR from 100 to 180 ppm)




Figure S13: <sup>1</sup>H NMR spectrum of compound 2 containing impurities (in CDCl<sub>3</sub>, 600 MHz)





Figure S14: <sup>13</sup>C NMR spectrum of compound 2 containing impurities (in CDCl<sub>3</sub>, 600 MHz)



**Figure S15:** <sup>1</sup>H NMR spectrum of compound **3** (in DMSO-*d*<sub>6</sub>, 600 MHz)




Figure S16:  $^{13}$ C NMR spectrum of compound 3 (in DMSO- $d_6$ , 600 MHz)






Figure S17: <sup>1</sup>H NMR spectrum of compound 3 (in CDCl<sub>3</sub>, 600 MHz)



**Figure S18:** <sup>1</sup>H NMR spectrum of compound **4** (in DMSO-*d*<sub>6</sub>, 600 MHz)



**Figure S19:**  $^{13}$ C NMR spectrum of compound **4** (in DMSO- $d_6$ , 600 MHz)




Figure S20: <sup>13</sup>C NMR spectrum of compound 4 (in CDCl<sub>3</sub>, 600 MHz)

Table S1: Comparisons of the NMR data for Pyrisulfoxin B (2) between this paper and the literature.

	$\delta_{\mathrm{H}}(\mathrm{ppm},J\ \mathrm{in}\ \mathrm{Hz},\mathrm{in}\ \mathrm{CDCl}_{3})$		δc (ppm,	δc (ppm, in CDCl <sub>3</sub> )	
Position	this paper	literature	this paper	literature	
2			161.2 (C)	161.2 (C)	
3	8.31 (1H, s)	8.29 (1H,s)	106.6 (CH)	106.6 (CH)	
4			164.6 (C)	164.7 (C)	
4-OCH <sub>3</sub>	4.17 (3H, s)	4.15 (3H, s)	57.0 (CH <sub>3</sub> )	57.0 (CH <sub>3</sub> )	
5			131.8 (C)	131.9 (C)	
(5-SOCH <sub>3</sub> )	3.11 (3H, s)	3.09 (3H, s)	39.9 (CH <sub>3</sub> )	39.9 (CH <sub>3</sub> )	
6			137.4 (C)	137.4 (C)	
7			114.5 (C)	114.5 (C)	
2'			152.8 (C)	152.9 (C)	
3'	8.52 (1H, d, J = 7.8 Hz)	8.51 (1H, ddd, $J = 8.0$ , 1.0, 1.0 Hz)	122.2 (CH)	122.2 (CH)	
4'	7.88 (1H, t, J = 7.2 Hz)	7.87 (1H, ddd, $J = 8.0$ , 7.5, 1.8 Hz)	137.4 (CH)	137.4 (CH)	
5'	7.42 (1H, dd, $J = 6.6$ , 5.4 Hz)	7.40 (1H, ddd, $J = 7.5$ , 4.9, 1.1 Hz)	125.6 (CH)	125.5 (CH)	
6'	8.68 (1H, d, J = 4.2 Hz)	8.67 (1H, ddd, $J = 4.8$ , 1.8, 1.0 Hz)	149.2 (CH)	149.2 (CH)	

Pyrisulfoxin B (2)

**Table S2:** Comparisons of the NMR data for SF2738D (3) between this paper and the literature.

Dogiđion	$\delta_{ m H}({ m ppm},J~{ m in}~{ m Hz})$		δc (ppm, CDCl <sub>3</sub> )		
Position	this pa	per	literature	this paper	literature
	(in DMSO-d <sub>6</sub> )	(in CDCl <sub>3</sub> )	(in CDCl <sub>3</sub> )	(in DMSO- $d_6$ )	(in CDCl <sub>3</sub> )
2				157.9 (C)	158.5 (C)
3	8.16 (1H, s)	8.18 (1H, s)	8.20 (1H,s)	106.3 (CH)	105.7 (CH)
4				167.1 (C)	167.0 (C)
4-OCH <sub>3</sub>	4.09 (3H, s)	4.14 (3H, s)	4.15 (3H, s)	57.0 (CH <sub>3</sub> )	56.6
5				127.1 (C)	127.3 (C)
(5-SCH <sub>3</sub> )	2.50 (3H, s)	2.54 (3H, s)	2.55 (3H, s)	17.4 (CH <sub>3</sub> )	17.9
6				137.9 (C)	137.6 (C)
7				116.6 (C)	116.5 (C)
2'				153.0 (C)	153.8 (C)
3'	8.31 (1H, d, <i>J</i> = 7.8 Hz)	8.46 (1H, d, <i>J</i> = 7.8 Hz)	8.48 (1H, ddd, <i>J</i> = 8.0, 1.0, 1.0 Hz)	121.2 (CH)	121.7 (CH)
4'	7.98 (1H, td, <i>J</i> = 7.8, 1.8 Hz)	7.86 (1H, td, <i>J</i> = 7.8, 0.6 Hz)	7.86 (1H, ddd, <i>J</i> = 8.0, 7.4, 1.8 Hz)	136.2 (CH)	137.2 (CH)
5'	7.53 (1H, ddd, <i>J</i> = 7.8, 4.8, 1.2 Hz)	7.38 (1H, dd, <i>J</i> = 6.6, 4.8 Hz)	7.38 (1H, ddd, <i>J</i> = 7.5, 4.9, 1.0 Hz)	125.5 (CH)	124.8 (CH)
6'	8.72 (1H, ddd, <i>J</i> = 4.8, 1.8, 1.2 Hz)	8.67 (1H, d, <i>J</i> = 4.8 Hz)	8.67 (1H, ddd, <i>J</i> = 4.8, 1.8, 1.0 Hz)	149.6 (CH)	149.1 (CH)

Table S3: Comparisons of the NMR data for SF2738F (4) between this paper and the literature.

Positio	$\delta_{ m H}$ (ppm,	J in Hz)	δ	c (ppm, CDCl <sub>3</sub> )		
n	this paper	literature	literature this j		literature	
111	(in DMSO-d <sub>6</sub> )	(in CDCl <sub>3</sub> )	(in DMSO-d <sub>6</sub> )	(in CDCl <sub>3</sub> )	(in CDCl <sub>3</sub> )	
2			158.7 (C)	159.1 (C)	158.9 (C)	
3	8.15 (1H, s)	8.10 (1H, s)	100.0 (CH)	99.8 (CH)	99.7 (CH)	
4			160.2 (C)	160.6 (C)	160.4 (C)	
4-OCH <sub>3</sub>	4.19 (3H, s)	4.20 (3H, s)	56.8 (CH <sub>3</sub> )	56.4 (CH3)	56.2 (CH3)	
5			135.3 (C)	136.3 (C)	136.1 (C)	
6			153.9 (C)	154.3 (C)	154.2 (C)	
7	9.35 (1H, s)	9.13 (1H, s)	157.1 (CH)	156.4 (CH)	156.2 (CH)	
2'			154.6 (C)	155.7 (C)	155.6 (C)	
3'	8.50 (1H, d, <i>J</i> = 8.4 Hz)	8.56 (1H, ddd, <i>J</i> = 8.0, 1.0, 1.0 Hz)	121.2 (CH)	121.7 (CH)	121.6 (CH)	
4'	8.02 (1H, td, <i>J</i> = 7.8, 1.8 Hz)	7.88 (1H, ddd, <i>J</i> = 8.0, 7.4, 1.8 Hz)	137.8 (CH)	137.3 (CH)	137.1 (CH)	
5'	7.56 (1H, ddd, <i>J</i> = 7.8, 4.8, 1.2 Hz)	7.38 (1H, ddd, <i>J</i> = 7.4, 4.9, 1.0 Hz)	125.2 (CH)	124.5 (CH)	124.3 (CH)	
6'	8.75 (1H, d, <i>J</i> = 4.2 Hz)	8.56 (1H, ddd, <i>J</i> = 4.9, 1.8, 1.0 Hz)	149.4 (CH)	149.2 (CH)	149.0 (CH)	