

## Supporting Information

*Rec. Nat. Prod.* 14:4 (2020) 256-268

### ***Ent*-kaurene Diterpenoids from *Sideritis lycia* with Antiviral and Cytotoxic Activities**

Turgut Kilic<sup>1</sup>, Gulacti Topcu<sup>2</sup>, Ahmet C. Goren<sup>2,3</sup>,

Zeynep Aydogmus<sup>4</sup>, Ali Karagoz<sup>5</sup>, Yasar K. Yildiz<sup>6</sup> and Irfan Aslan<sup>7</sup>

<sup>1</sup>*Faculty of Necatibey Education, Balıkesir University, 10100, Balıkesir, Türkiye*

<sup>2</sup>*Faculty of Pharmacy, Bezmialem Vakıf University, 34093, Fatih, İstanbul, Türkiye*

<sup>3</sup>*Drug Application and Research Center, Bezmialem Bezmialem Vakıf University, 34093, Fatih, İstanbul, Türkiye*

<sup>4</sup>*Faculty of Pharmacy, İstanbul University, 34116, Beyazıt, İstanbul, Türkiye*

<sup>5</sup>*Faculty of Science, İstanbul University, 34459, Vezneciler, İstanbul, Türkiye*

<sup>6</sup>*Buca Education Faculty, Dokuz Eylül University, 35100, İzmir, Türkiye*

<sup>7</sup>*Faculty of Humanities and Social Sciences, Ankara Yıldırım Beyazıt University, 06760, Ankara, Türkiye*

---

<b>Table of Contents</b>		<b>Page</b>
<b>Table S1.</b> The results ANOVA belonging to dose and time with contact toxicity assay		2
<b>Table S2.</b> The results ANOVA belonging to dose and time with topical toxicity		2

---

**Table S1.** The results ANOVA belonging to dose and time with contact toxicity assay

Source	<i>Tetranychus urticae</i>			<i>Bemisia tabaci</i>			<i>Sitophilus granarius</i>			<i>Lasioderma serricorne</i>		
	d.f.	Mean Square	F	d.f.	Mean Square	F	d.f.	Mean Square	F	d.f.	Mean Square	F
<b><i>Sideritis lycia</i></b>												
Dose (uL)	2	1752.78	19.12	2	1336.11	43.73	2	4044.44	242.67	2	269.44	24.25
Time (h)	3	454.63	4.96	3	2300.00	75.27	3	585.18	35.11	3	77.78	7.00
Dose x time	6	71.29	0.78	6	13.88	0.45	6	151.85	9.11	6	36.11	3.25
Error	24	91.66		24	30.55		24	16.67		24	11.11	
Total	35			35			35			35		
<b><i>Linearol 1</i></b>												
Dose (uL)	2	435.53	15.66	2	858.33	30.90	2	169.44	7.62	2	8602.17	516.17
Time (h)	3	1292.84	46.50	3	1121.30	40.37	3	743.52	33.46	3	832.41	49.94
Dose x time	6	24.78	0.89	6	21.30	0.77	6	10.18	0.46	6	210.61	12.61
Error	24	27.80		24	27.78		24	22.22		24	16.67	
Total	35			35			35			35		

$P < 0.01$ .

**Table S2.** The results ANOVA belonging to dose and time with topical toxicity

Source	<i>Tetranychus urticae</i>			<i>Bemisia tabaci</i>			<i>Sitophilus granarius</i>			<i>Lasioderma serricorne</i>		
	d.f.	Mean Square	F	d.f.	Mean Square	F	d.f.	Mean Square	F	d.f.	Mean Square	F
<b><i>Sideritis lycia</i></b>												
Dose (uL)	2	2211.11	113.71	2	3052.78	137.37	2	2586.11	133.00	2	1769.44	79.63
Time (h)	3	644.44	33.14	3	773.15	34.79	3	1737.04	89.33	3	3262.04	146.79
Dose x time	6	33.33	1.71	6	67.59	3.04	6	89.81	4.62	6	95.37	4.29
Error	24	19.44		24	22.22		24	19.44		24	22.22	
Total	35			35			35			35		
<b><i>Linearol 1</i></b>												
Dose (uL)	2	677.78	30.50	2	258.33	9.30	2	2.77	1.00	2	3077.78	184.67
Time (h)	3	410.19	18.46	3	300.00	10.80	3	2.77	1.00	3	311.11	18.67
Dose x time	6	18.52	0.83	6	2.77	0.10	6	2.77	1.00	6	44.44	2.67
Error	24	22.22		24	27.77		24	2.77		24	16.66	
Total	35			35			35			35		

$P < 0.01$ .