Supporting Information

Rec. Nat. Prod. X:X (2020) XX-XX

Chemical Constituents of Tibetan Herbal Medicine *Pulicaria insignis* and Their *in vitro* Cytotoxic Activities

Xinzhu Wang¹, Peilei Hou¹, Yanbo Qu², Ri-Zhen Huang¹, Yan Feng¹, Shi-Feng Zhao¹, Yelin Ding¹ and Zhi-Xin Liao^{1*}

¹ Department of Pharmaceutical Engineering, School of Chemistry and Chemical Engineering and Jiangsu Province Hi-Tech Key Laboratory for Biomedical Research, Southeast University, Nanjing, 211189, China
² College of Chemistry and Chemical Engineering, Huanggang Normal University, Huanggang, 438000, China

Corresponding author: Prof. Dr. Zhi-Xin Liao; Tel: +86 025-52090620, Fax: +86 025- 52090618 * Corresponding author Email: Zhixin Liao zxliao@seu.edu.cn (Z.X. Liao)

Table of Contents	Page
Figure S1: HR-ESI-MS of Compound 1	2
Figure S2: ¹ H NMR (600 MHz, CD ₃ OD) Spectrum of Compound 1	3
Figure S3: ¹³ C-NMR (150 MHz, CD ₃ OD) Spectrum of Compound 1	4
Figure S4: HSQC Spectrum of Compound 1	5
Figure S5: HMBC Spectrum of Compound 1	6
Figure S6 : HMBC Spectrum of Compound 1 (From δ_C 5 ppm to δ_C 65 ppm)	7
Figure S7: HMBC Spectrum of Compound 1 (From $\delta_{\rm C}$ 110 ppm to $\delta_{\rm C}$ 210 ppm)	8
Figure S8: ¹ H- ¹ H COSY Spectrum of Compound 1	9
Figure S9: IR Spectrum of Compound 1	10
Figure S10: UV Spectrum of Compound 1	11



Figure S1: HR-ESI-MS of Compound 1



Figure S2: ¹H NMR (600MHz, CD₃OD) Spectrum of Compound 1



Figure S3: ¹³C-NMR (150 MHz, CD₃OD) Spectrum of Compound 1



Figure S4: HSQC Spectrum of Compound 1





Figure S6: HMBC Spectrum of Compound 1 (From δ_C 5 ppm to δ_C 65 ppm)



Figure S7: HMBC Spectrum of Compound **1** (From δ_{C} 110 ppm to δ_{C} 210 ppm)



Figure S8: ¹H-¹H COSY Spectrum of Compound 1



Figure S9: IR Spectrum of Compound 1



Figure S10: UV Spectrum of Compound 1