Supporting Information

Rec. Nat. Prod. X:X (202X) XX-XX

Aromatic Rosane-type Diterpenoid with Lipase Inhibitory Effect from *Euphorbia ebracteolata* and Chemotaxonomic Significance of Diterpenoids

Jian Zhou ¹, Jinhua Wen ¹, Jianhua Huang ², Pengfei Chen ¹, Xiaochi Ma ³, Rongjing Sun ^{4*} and Chao Wang ^{3*}

¹Department of Pharmacy, The First Affiliated Hospital of Nanchang University, Nanchang, Jiangxi330006, P. R. China

²Department of Pharmacy, Health-Center of Jingba Town, Ganzhou, Jiangxi341408, P. R. China ³College of Pharmacy, Dalian Medical University, Dalian, Liaoning 116044, P. R. China ⁴College of Pharmacy, University of Houston, Houston, Texas 77204, United States

Table of Contents	Page
Figure S1: Scifinder report for compound 1	2
Figure S2: Diterpenoids from the roots of <i>Euphorbia ebracteolata</i>	3-4
Figure S3: HR-ESI-MS spectrum of compound 1	5
Figure S4: ¹ H-NMR (600 MHz, CDCl ₃) spectrum of compound 1	6
Figure S5: ¹³ C-NMR (150 MHz, CDCl ₃) spectrum of compound 1	7
Figure S6: HSQC spectrum of compound 1	8-9
Figure S7: HMBC spectrum of compound 1	10-11
Figure S8: ¹ H- ¹ H COSY spectrum of compound 1	12
Figure S9: NOESY spectrum of compound 1	13





Figure S1: Scifinder report for compound 1

Rosane-type diterpenoids (1-18)

Abietane-type diterpenoids (19-31)



Atisane-type diterpenoids (32-37)

Figure S2: Diterpenoids from the roots of Euphorbia ebracteolata




Figure S3: HR-ESI-MS spectrum of compound 1




Figure S4: ¹H NMR (CDCl₃, 600 MHz) spectrum of compound 1






Figure S5: 13 C NMR (CDCl₃, 150 MHz) spectrum of compound 1











Figure S6: HSQC spectrum of compound **1**.










Figure S7: HMBC spectrum of compound 1.




Figure S8: ¹H-¹H COSY spectrum of compound 1




Figure S9: NOESY spectrum of compound 1