Supporting Information

Rec. Nat. Prod. 15:2 (2021) 91-102

Chemical Constituents of Tibetan Herbal Medicine *Pulicaria insignis* and Their *in vitro* Cytotoxic Activities

Xinzhu Wang¹, Peilei Hou¹, Yanbo Qu², Ri-Zhen Huang¹, Yan Feng¹, Shi-Feng Zhao¹, Yelin Ding¹ and Zhi-Xin Liao^{1*}

¹ Department of Pharmaceutical Engineering, School of Chemistry and Chemical Engineering and Jiangsu Province Hi-Tech Key Laboratory for Biomedical Research, Southeast University, Nanjing, 211189, China
² College of Chemistry and Chemical Engineering, Huanggang Normal University, Huanggang, 438000, China

Table of Contents	Page
Figure S1: HR-ESI-MS of Compound 1	2
Figure S2: ¹ H NMR (600 MHz, CD ₃ OD) Spectrum of Compound 1	3
Figure S3: ¹³ C-NMR (150 MHz, CD ₃ OD) Spectrum of Compound 1	4
Figure S4: HSQC Spectrum of Compound 1	5
Figure S5: HMBC Spectrum of Compound 1	6
Figure S6 : HMBC Spectrum of Compound 1 (From δ_C 5 ppm to δ_C 65 ppm)	7
Figure S7: HMBC Spectrum of Compound 1 (From $\delta_{\rm C}$ 110 ppm to $\delta_{\rm C}$ 210 ppm)	8
Figure S8: ¹ H- ¹ H COSY Spectrum of Compound 1	9
Figure S9: IR Spectrum of Compound 1	10
Figure S10: UV Spectrum of Compound 1	11




Figure S1: HR-ESI-MS of Compound 1




Figure S2: ¹H NMR (600MHz, CD₃OD) Spectrum of Compound 1




Figure S3: ¹³C-NMR (150 MHz, CD₃OD) Spectrum of Compound 1





Figure S4: HSQC Spectrum of Compound 1






Figure S6: HMBC Spectrum of Compound 1 (From δ_C 5 ppm to δ_C 65 ppm)




Figure S7: HMBC Spectrum of Compound **1** (From δ_C 110 ppm to δ_C 210 ppm)




Figure S8: ¹H-¹H COSY Spectrum of Compound 1




Figure S9: IR Spectrum of Compound 1




Figure S10: UV Spectrum of Compound 1