Supporting Information

Rec. Nat. Prod. 7:3 (2013) 220-224


A New Prenylated Xanthone from Latex of Garcinia cowa

Zhi Na * ¹, Qishi Song ² and Huabin Hu ¹


¹ Key Laboratory of Tropical Forest Ecology, Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Mengla, Yunnan, 666303, P. R. China

Table of Contents	Page
S1: EI-MS Spectrum of Compound 1	2
S2: HREI-MS Spectrum of Compound 1	3
S3: ¹ H-NMR (400 MHz, CDCl ₃) Spectrum of Compound 1	4
S4: ¹³ C-NMR + DEPT (100 MHz) Spectrum of Compound 1	5
S5: COSY (500 MHz) Spectrum of Compound 1	6
S6: HSQC (500 MHz) Spectrum of Compound 1	7
S7: HMBC (500 MHz) Spectrum of Compound 1	8
S8: ROESY (500 MHz) Spectrum of Compound 1	9


² Laboratory of Tropical Plant Resource Science, Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Mengla, Yunnan, 666303, P. R. China



S1: EI-MS Spectrum of Compound **1**



S2: HREI-MS Spectrum of Compound 1



S3: ¹H-NMR (400 MHz, CDCl₃) Spectrum of Compound 1


nth6



nth6


220 210

200 190




S4: ¹³C-NMR + DEPT Spectrum of Compound **1**


140 130




S5: COSY (500 MHz) Spectrum of Compound 1



S6: HSQC (500 MHz) Spectrum of Compound **1**



S7: HMBC (500 MHz) Spectrum of Compound **1**



S7: ROESY (500 MHz) Spectrum of Compound 1