

Supporting Information

Org. Commun. 11:3 (2018) 168-172

Synthesis of (E)-10-hydroxy-2-decenoic acid ethyl ester via a one-pot tandem oxidation-Wittig process

Jacob T. Heppell^{*1}, Wah Chin Boon¹ and Jasim M. A. Al-Rawi^{*1}

¹*School of Pharmacy and Applied Science, La Trobe University Bendigo, P.O. Box 199 Bendigo 3550, Australia*

²*Steroid Neurobiology Laboratory, Florey Institute of Neuroscience and Mental Health, Parkville, VIC, Australia*

Table of Contents	Page No
Figure S1: ¹ HNMR spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)	2
Figure S2: ¹³ CNMR spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)	3
Figure S3: COSY spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)	4
Figure S4: HSQC spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)	5

* Corresponding author: E-mail: j.al-rawi@latrobe.edu.au Tel: +61354447364; Fax: + 61354447476

(E:Z >99:1)-10-hydroxy-2-decenoic acid (1H, CDCl₃, 300K)



Figure S1: ¹H NMR spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)

(E:Z >99:1)-10-hydroxy-2-decenoic acid (13C, CDCl3, 300K)




Figure S2: ^{13}C NMR spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)

(E:Z >99:1)-10-hydroxy-2-decenoic acid (1H COSY, CDCl₃, 300K)




Figure S3: COSY spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)

(E:Z >99:1)-10-hydroxy-2-decenoic acid (1H-13C HSQC, CDCl3, 300K)




Figure S4: HSQC spectrum of (E:Z >99:1) 10-hydroxy-2-decenoic acid (4)