

Supporting Information

Rec. Nat. Prod. 14:5 (2020) 361-365

A New Dopamine Derivative from *Cotidius chinensis*

Tiantian Xu ¹, Lei Cheng ^{2,3}, Shiji Xiao ^{2,3*} and Xiaohui Hou ^{1*}

¹*School of Basic Medical Sciences, Zunyi Medical University, Zunyi, Guizhou 563000*

²*School of Pharmacy, Zunyi Medical University, Zunyi, Guizhou 563000*

³*Key Laboratory of Basic Pharmacology of Ministry of Education and Joint International Research Laboratory of Ethnomedicine of Ministry of Education, Zunyi Medical University, Zunyi, Guizhou 563000*

Table of Contents	Page
Figure S1: HR-ESI-MS Spectrum of 1 (cotidione A)	2
Figure S2: ¹ H-NMR (400 MHz, CD ₃ OD) Spectrum of 1 (cotidione A)	3
Figure S3: ¹³ C-NMR (100 MHz, CD ₃ OD) Spectrum of 1 (cotidione A)	4
Figure S4: HSQC Spectrum of 1 (cotidione A)	4
Figure S5: HMBC Spectrum of 1 (cotidione A)	5
Figure S6: CD Spectrum of 1 (cotidione A)	6




Figure S1: HR-ESI-MS Spectrum of **1 (cotidione A)**




Figure S2: ^1H -NMR (400 MHz, CD_3OD) Spectrum of **1** (cotidione A)




Figure S3: ^{13}C -NMR (100 MHz, CD_3OD) Spectrum of **1** (cotidione A)




Figure S4: HSQC Spectrum of **1** (cotidione A)




Figure S5: HMBC Spectrum of **1** (cotidione A)




Figure S6: CD Spectrum of **1** (cotidione A)