

Supporting Information

Rec. Nat. Prod. 15:5 (2021) 396-407

Dicentrine and Dicentrinone Isolated from *Stephania Tetrandrae Radix* Suppress HepG2 Proliferation through Inhibiting PDI Activity

Mojiao Zhao^{1†}, Chao Zhang^{2†}, Dong Zhang¹, Siyu Zhu¹, Tianjiao Liu¹,
Zhiwei Li³, Dafang Zhang¹ and Yong Yang^{1,3*}

¹ Department of Chinese Medicine and Health Care, College of Humanities & Sciences of Northeast
University, Boshuo Road 1488, Changchun, Jilin 130117, China

² School of Chinese Pharmacy, Beijing University of Chinese Medicine, Bei San Huan Dong Lu 11,
Beijing 100102, China

³ School of Pharmaceutical Sciences, Jilin University, Fujin Road 1266, Changchun, Jilin 130021,
China

Table of Contents	Page
Figure S1: ¹ H NMR (500 MHz, CDCl ₃) Spectrum of 1 (dicentrinone)	2
Figure S2: Q/TOF-MS Spectrum of 1 (dicentrinone)	2
Figure S3: ¹ H NMR (500 MHz, CDCl ₃) Spectrum of 2 (dicentrine)	3
Figure S4: Q/TOF-MS Spectrum of 2 (dicentrine)	3
Figure S5: ¹ H NMR (500 MHz, CDCl ₃) Spectrum of 3 (oxofangchirine)	4
Figure S6: Q/TOF-MS spectrum of 3 (oxofangchirine)	4
Figure S7: ¹ H NMR (500 MHz, CDCl ₃) Spectrum of 4 (tetrandrine)	5
Figure S8: Q/TOF-MS Spectrum of 4 (tetrandrine)	5
Figure S9: ¹ H NMR (500 MHz, CDCl ₃) Spectrum of 5 (fangchinoline)	6
Figure S10: Q/TOF-MS Spectrum of 5 (fangchinoline)	6
Figure S11: ¹ H NMR (500 MHz, CDCl ₃) Spectrum of 6 (stephanthrine)	7
Figure S12: Q/TOF-MS Spectrum of 6 (stephanthrine)	7
Figure S13: ¹ H NMR (500 MHz, CDCl ₃) Spectrum of 7 (fenfangjine D)	8
Figure S14: Q/TOF-MS Spectrum of 7 (fenfangjine D)	8
Figure S15: Relative mRNA Expression Level of PDI with β-actin as Internal Control	9




Figure S1: ¹H NMR (500 MHz, CDCl₃) Spectrum of **1** (dicentrinone)




Figure S2: Q/TOF-MS Spectrum of **1** (dicentrinone)




Figure S3: ¹H NMR (500 MHz, CDCl₃) Spectrum of **2** (dicentrine)




Figure S4: Q/TOF-MS Spectrum of **2** (dicentrine)




Figure S5: ^1H NMR (500 MHz, CDCl_3) Spectrum of **3** (oxofangchirine)




Figure S6: Q/TOF-MS spectrum of **3** (oxofangchirine)




Figure S7: ^1H NMR (500 MHz, CDCl_3) Spectrum of **4** (tetrandrine)




Figure S8: Q/TOF-MS Spectrum of **4** (tetrandrine)




Figure S9: ¹H NMR (500 MHz, CDCl₃) Spectrum of **5** (fangchinoline)




Figure S10: Q/TOF-MS Spectrum of **5** (fangchinoline)




Figure S11: ^1H NMR (500 MHz, CDCl_3) Spectrum of **6** (stephanthrine)




Figure S12: Q/TOF-MS Spectrum of **6** (stephanthrine)




Figure S13: ^1H NMR (500 MHz, CDCl_3) Spectrum of **7** (fenfangjine D)




Figure S14: Q/TOF-MS Spectrum of **7** (fenfangjine D)




Figure S15: Relative mRNA Expression Level of PDI with β -actin as Internal Control