Supporting Information *Rec. Nat. Prod.* 15:6 (2021) 487-502

Secondary Metabolites from *Teucrium creticum* L.

Azmi Hanoğlu¹, Duygu Yiğit Hanoğlu², Nilay Demirel¹, Hasan Soliman Yusufoğlu³ and İhsan Çalış¹*

¹Near East University, Faculty of Pharmacy, Department of Pharmacognosy, Lefkoşa, TRNC ²Near East University, Faculty of Pharmacy, Department of Pharmaceutical Botany, Lefkoşa, TRNC

³Prince Sattam Bin Abdulaziz University, Department of Pharmacognosy, Al-Kharj–11942, Saudi Arabia

| Table of Contents | Page |
|--|------|
| Figure S1: ¹ H-NMR Spectrum of 8-O-Acetylharpagide (1) (400 MHz, CD ₃ OD) | 3 |
| Figure S2: ¹³ C-NMR Spectrum of 8-O-Acetylharpagide (1) (100 MHz, CD ₃ OD) | 3 |
| Figure S3: ¹ H-NMR Spectrum of Teuhircoside (2) (400 MHz, CD ₃ OD) | 4 |
| Figure S4: ¹³ C-NMR Spectrum of Teuhircoside (2) (100 MHz, CD ₃ OD) | 4 |
| Figure S5: ¹ H-NMR Spectrum of Verbascoside (= Acteoside) (3) (400 MHz, CD ₃ OD) | 5 |
| Figure S6: ¹³ C-NMR Spectrum of Verbascoside (= Acteoside) (3) (100 MHz, CD ₃ OD) | 5 |
| Figure S7: ¹ H-NMR Spectrum of Lavandulifolioside (5) (400 MHz, CD ₃ OD) | 6 |
| Figure S8: ¹³ C-NMR Spectrum of Lavandulifolioside (5) (100 MHz, CD ₃ OD) | 6 |
| Figure S9: Positive ion HRMS of Teucrin H3 (= 19-acetylgnaphalin) (5) | 7 |
| Figure S10: ¹ H-NMR Spectrum of Teucrin H3 (= 19-acetylgnaphalin) (5) (500 MHz, CD OD) | 7 |
| Figure S11: ¹³ C-NMR Spectrum of Teucrin H3 (= 19-acetylgnaphalin) (5) (125 MHz, CD ₃ OD) | 8 |
| Figure S12: COSY of Teucrin H3 (= 19-acetylgnaphalin) (5) | 9 |
| Figure S13: HSQC of Teucrin H3 (= 19-acetylgnaphalin) (5) | 9 |
| Figure S14: HSQC of Teucrin H3 (= 19-acetylgnaphalin) (5) (f1: δ 30 – 75; f2: δ 5.5 – 1.6) | 10 |
| Figure S15: HSQC of Teucrin H3 (= 19-acetylgnaphalin) (5) (f1: δ 14 – 34; f2: δ 2.7 – 0.8) | 10 |
| Figure S16:HMBC of Teucrin H3 (= 19-acetylgnaphalin) (5) | 11 |
| Figure S17: NOESY of Teucrin H3 (= 19-acetylgnaphalin) (5) | 12 |

| Figure S18:Positive ion HRMS of Teucjaponin B (6) | 13 |
|---|----|
| Figure S19: ¹ H-NMR Spectrum of Teucjaponin B (6) (500 MHz, CD ₃ OD) | 13 |
| Figure S20: ¹³ C-NMR Spectrum (125 MHz, CD ₃ OD) and DEPT-135 of Teucjaponin B (6) | 14 |
| Figure S21: COSY of Teucjaponin B (6) | 15 |
| Figure S22: HSQC of Teucjaponin B (6) | 15 |
| Figure S23: HSQC of Teucjaponin B (6) (f1: δ 15 – 55; f2: δ 2.6 – 0.7) | 16 |
| Figure S24: HMBC of Teucjaponin B (6) | 16 |
| Figure S25: HMBC of Teucjaponin B (6) (f1: δ 15 – 75; f2: δ 5.2 – 0.6) | 17 |
| Figure S26: NOESY of Teucjaponin B (6) | 17 |
| Figure S27: Positive ion HRMS of Teucretol (7) | 18 |
| Figure S28: ¹ H-NMR Spectrum of Teucretol (7) (500 MHz, CD ₃ OD) | 18 |
| Figure S29: ¹³ C-NMR Spectrum (125 MHz, CD ₃ OD) and DEPT-135 of Teucretol (7) | 19 |
| Figure S30: COSY of Teucretol (7) | 20 |
| Figure S31: HSQC of Teucretol (7) | 20 |
| Figure S32: HSQC of Teucretol (7) (f1: δ 15 – 55; f2: δ 2.4 – 0.8) | 21 |
| Figure S33: HMBC of Teucretol (7) | 21 |
| Figure S34: NOESY of Teucretol (7) | 22 |
| Figure S35: Positive ion HRMS of Diacetylteumassilin (8) | 23 |
| Figure S36. ¹ H-NMR Spectrum of Diacetylteumassilin (8) (500 MHz, CD ₃ OD) | 23 |
| Figure S37: ¹³ C-NMR Spectrum (125 MHz, CD ₃ OD) and DEPT-135 of Diacetylteumassilin (8) | 24 |
| Figure S38: COSY of Diacetylteumassilin (8) | 25 |
| Figure S39: HSQC of Diacetylteumassilin (8) | 25 |
| Figure S40: HSQC of Diacetylteumassilin (8) (f1: δ 15 – 50; f2: δ 3.1 – 0.6) | 26 |
| Figure S41: HMBC of Diacetylteumassilin (8) | 26 |
| Figure S42: NOESY of Diacetylteumassilin (8) | 27 |



Figure S1: ¹H-NMR Spectrum of 8-O-Acetylharpagide (1) (400 MHz, CD₃OD)



Figure S2: ¹³C-NMR Spectrum of 8-O-Acetylharpagide (1) (100 MHz, CD₃OD)



Figure S3:¹H-NMR Spectrum of Teuhircoside (2) (400 MHz, CD₃OD)



Figure S4: ¹³C-NMR Spectrum of Teuhircoside (2) (100 MHz, CD₃OD)



Figure S5: ¹H-NMR Spectrum of Verbascoside (= Acteoside) (3) (400 MHz, CD₃OD)



Figure S6: ¹³C-NMR Spectrum of Verbascoside (= Acteoside) (3) (100 MHz, CD₃OD)



Figure S7: ¹H-NMR Spectrum of Lavandulifolioside (5) (400 MHz, CD₃OD)





Figure S9: Positive ion HRMS of Teucrin H3 (= 19-acetylgnaphalin) (5)



Figure S10: ¹H-NMR Spectrum of Teucrin H3 (= 19-acetylgnaphalin) (5) (500 MHz, CD₃OD)



Figure S11: ¹³C-NMR Spectrum of Teucrin H3 (= 19-acetylgnaphalin) (5) (125 MHz, CD₃OD)



Figure S12: COSY of Teucrin H3 (= 19-acetylgnaphalin) (5)



Figure S13: HSQC of Teucrin H3 (= 19-acetylgnaphalin) (5)



Figure S14:HSQC of Teucrin H3 (= 19-acetylgnaphalin) (5) (f1: δ 30 – 75; f2: δ 5.5 – 1.6)



Figure S15: HSQC of Teucrin H3 (= 19-acetylgnaphalin) (5) (f1: δ 14 – 34; f2: δ 2.7 – 0.8)



Figure S16: HMBC of Teucrin H3 (= 19-acetylgnaphalin) (5)



Figure S17: NOESY of Teucrin H3 (= 19-acetylgnaphalin) (5)



Figure S18: Positive ion HRMS of Teucjaponin B (6)



Figure S19: ¹H-NMR Spectrum of Teucjaponin B (6)(500 MHz, CD₃OD)



Figure S20: ¹³C-NMR Spectrum (125 MHz, CD₃OD) and DEPT-135 of Teucjaponin B (6)







Figure S22: HSQC of Teucjaponin B (6)



Figure S23: HSQC of Teucjaponin B (6)(f1: δ 15 – 55; f2: δ 2.6 – 0.7)



Figure S24: HMBC of Teucjaponin B (6)

 $\ensuremath{\mathbb{C}}$ 2021 ACG Publications. All rights reserved.



Figure S25: HMBC of Teucjaponin B (6)(f1: δ 15 – 75; f2: δ5.2 – 0.6)



Figure S26: NOESY of Teucjaponin B (6)



Figure S27: Positive ion HRMS of Teucretol (7)



Figure S28: ¹H-NMR Spectrum of Teucretol (7) (500 MHz, CD₃OD)



Figure S29: ¹³C-NMR Spectrum (125 MHz, CD₃OD) and DEPT-135 of Teucretol (7)



Figure S30: COSY of Teucretol (7)



Figure S31: HSQC of Teucretol (7)



Figure S32: HSQC of Teucretol (7) (f1: δ 15 – 55; f2: δ 2.4 – 0.8)



Figure S33: HMBC of Teucretol (7)

 $\ensuremath{\mathbb{C}}$ 2021 ACG Publications. All rights reserved.



Figure S34: NOESY of Teucretol (7)



Figure S35: Positive ion HRMS of Diacetylteumassilin (8)



Figure S36: ¹H-NMR Spectrum of Diacetylteumassilin (8)(500 MHz, CD₃OD)



Figure S37: ¹³C-NMR Spectrum (125 MHz, CD₃OD) and DEPT-135 of Diacetylteumassilin (8)



Figure S38: COSY of Diacetylteumassilin (8)



Figure S39: HSQC of Diacetylteumassilin (8)



Figure S40: HSQC of Diacetylteumassilin (8)(f1: δ 15 – 50; f2: δ 3.1 – 0.6)



Figure S41: HMBC of Diacetylteumassilin (8)

© 2021 ACG Publications. All rights reserved.



Figure S42: NOESY of Diacetylteumassilin (8)