

Supporting Information

Org. Commun. X:X (202X) XX-XX

Prediction of the antiproliferative effects of some benzimidazole-chalcone derivatives against MCF-7 breast cancer cell lines: QSAR and molecular docking studies

Oluwatoba E. Oyeneyin ^{1,*}, Chiamaka G. Iwegbulam ¹

Nureni Ipinloju ¹, Bambo F. Olajide ² and Abel K. Oyebamiji ³

¹Theoretical and Computational Chemistry Unit, Department of Chemical Sciences, Adekunle Ajasin University, Akungba-Akoko, Ondo State, Nigeria

²Department of Chemistry, Osun State College of Education, Ilesha, Osun State, Nigeria

³Department of Basic Sciences, Adeleke University, P.M.B. 250, Ede, Osun State, Nigeria

Table of Contents	Page
Figure S1: Compound 13 with 3FC2	2
Figure S2: Compound 17 with 3FC2	3
Figure S3: Compound 18 with 3FC2	4
Figure S4: Compound 21 with 3FC2	5
Figure S5: Compound 21 with 3FC2	6
Figure S6: Chlorambucil with 3FC2	7
Figure S7: 5-flourouracil with 3FC2	8




Figure S1: Compound 13 with 3FC2




Figure S2: Compound **17** with 3FC2




Figure S3: Compound **18** with 3FC2




Figure S4: Compound **21** with 3FC2




Figure S5: Doxorubicin with 3FC2




Figure S6: Chlorambucil with 3FC2




Figure S7: 5-florouracil with 3FC2