Supporting Information

Rec. Nat. Prod. 17:1 (2023) 145-150

Novel Acyclic Diterpeneoid from Bornean Local Red Chilli

Pepper Capsicum frutescens L.

Kazuki Tani¹, Norhidayah Tumiran¹, Rolinus Paulous¹

and Charles S. Vairappan^{1*}

¹ Institute for Tropical Biology and Conservation, Universiti Malaysia Sabah, 88400 Kota Kinabalu, Sabah, Malaysia

Table of Contents	Page
Figure S1: ¹ H-NMR (600 MHz, CDCl ₃) spectrum of 1 ((3 <i>S</i> , 6 <i>E</i> , 10 <i>E</i> , 14 <i>Z</i>)-3-hydroxy-	2
3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)	
Figure S2: ¹³ C-NMR (150 MHz, CDCl ₃) spectrum of 1 ((3 <i>S</i> , 6 <i>E</i> , 10 <i>E</i> , 14 <i>Z</i>)-3-hydroxy-	3
3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)	
Figure S3: HSQC spectrum of 1 ((3S, 6E, 10E, 14Z)-3-hydroxy-3,7,11,15-tetramethyl-	4
1,6,10,14-hexadecatetraene acid)	
Figure S4: ¹ H- ¹ H COSY spectrum of 1 ((3 <i>S</i> , 6 <i>E</i> , 10 <i>E</i> , 14 <i>Z</i>)-3-hydroxy-3,7,11,15-	5
tetramethyl-1,6,10,14-hexadecatetraene acid)	
Figure S5: HMBC spectrum of 1 ((3 <i>S</i> , 6 <i>E</i> , 10 <i>E</i> , 14 <i>Z</i>)-3-hydroxy-3,7,11,15-tetramethyl-	6
1,6,10,14-hexadecatetraene acid)	
Figure S6: NOESY spectrum of 1 ((3 <i>S</i> , 6 <i>E</i> , 10 <i>E</i> , 14 <i>Z</i>)-3-hydroxy-3,7,11,15-tetramethyl-	7
1,6,10,14-hexadecatetraene acid)	
Figure S7: HRESIMS spectrum of 1 ((3 <i>S</i> , 6 <i>E</i> , 10 <i>E</i> , 14 <i>Z</i>)-3-hydroxy-3,7,11,15-tetramethyl-	8
1,6,10,14-hexadecatetraene acid)	
Figure S8: FTIR spectrum of 1 ((3 <i>S</i> , 6 <i>E</i> , 10 <i>E</i> , 14 <i>Z</i>)-3-hydroxy-3,7,11,15-tetramethyl-	9
1,6,10,14-hexadecatetraene acid)	



Figure S1: ¹H-NMR (600 MHz, CDCl₃) spectrum of **1** ((3*S*, 6*E*, 10*E*, 14*Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)



Figure S2: ¹³C-NMR (150 MHz, CDCl₃) spectrum of **1** ((3*S*, 6*E*, 10*E*, 14*Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)



Figure S3: HSQC spectrum of **1** ((*3S*, *6E*, *10E*, *14Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)



Figure S4: ¹H-¹H COSY spectrum of **1** ((*3S*, *6E*, 10*E*, 14*Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)

© 2022 ACG Publications. All rights reserved.



Figure S5: HMBC spectrum of 1 ((3*S*, 6*E*, 10*E*, 14*Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)



Figure S6: NOESY spectrum of 1 ((3*S*, 6*E*, 10*E*, 14*Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)



Figure S7: HRESIMS spectrum of 1 ((3*S*, 6*E*, 10*E*, 14*Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)



Figure S8: FTIR spectrum of **1** ((*3S*, *6E*, *10E*, *14Z*)-3-hydroxy-3,7,11,15-tetramethyl-1,6,10,14-hexadecatetraene acid)