

Supporting Information

Rec. Nat. Prod. 18:6 (2024) 618-628

Chemical Composition and Antimicrobial Activity of Essential Oils Obtained from *Inula germanica* L.

Meltem Güleç¹, Seçil Yazıcı-Tütüniş², Gökalp İşcan³, Betül Demirci³,
Emir Tan⁴, Mahmut Miski² and Nur Tan^{2*}

¹ Department of Pharmacognosy, Faculty of Pharmacy, Istinye University, 34396, Istanbul,
Türkiye

² Department of Pharmacognosy, Faculty of Pharmacy, Istanbul University, 34116, Istanbul,
Türkiye

³ Department of Pharmacognosy, Faculty of Pharmacy, Anadolu University, 26470 Eskisehir,
Türkiye

⁴ Department of Pharmaceutical Microbiology, University of İstanbul Yeni Yüzyıl, 34010,
Istanbul, Türkiye

Table of Contents	Page
Figure S1: GC-MS spectrum of <i>Inula germanica</i> L. -1	2
Figure S2: GC-MS spectrum of <i>Inula germanica</i> L. -2	2
Figure S3: GC-MS spectrum of <i>Inula germanica</i> L. -3	3




Figure S1: GC-MS spectrum of *Inula germanica* L. -1




Figure S2: GC-MS spectrum of *Inula germanica* L. -2




Figure S3: GC-MS spectrum of *Inula germanica* L. -3