

## Supporting Information

*Rec. Nat. Prod.* 19:3 (2025) xxx-xxx

### **Antibacterial Evaluation of *Matricaria recutita* L., *Achillea millefolium* L. Essential Oil and Tetracycline Combinations in Respect to *in vivo* Toxicity Data<sup>‡</sup>**

**Betül Demirci, Gözde Öztürk, and Fatih Demirci\***,


*Department of Pharmacognosy, Faculty of Pharmacy, Anadolu University, 26470, Eskişehir, Türkiye*

<sup>‡</sup>*Dedicated to Late Prof. Dr. Nezhun Gören*


Table of Contents	Page
<b>Figure S1:</b> %Optical density changes - 4 <sup>th</sup> hour	2
<b>Figure S2:</b> %Optical density changes - 24 <sup>th</sup> hour	2
<b>Figure S3:</b> %Viability of <i>C. elegans</i> against <i>M. recutita</i> and <i>A. millefolium</i> essential oils	3

---


\* Corresponding author: E-Mail: [demircif@gmail.com](mailto:demircif@gmail.com); Phone: +90 222 3350580



**Figure S1:** %Optical density changes - 4<sup>th</sup> hour



**Figure S2:** %Optical density changes - 24<sup>th</sup> hour



**Figure S3:** %Viability of *C. elegans* against *M. recutita* and *A. millefolium* essential oils